

BATHROOM TECHNICAL MANUAL

NOVEMBER 2006

TECHNICAL SPECIFICATIONS OF MATERIALS

CARCASSES

MELAMINE TREATED PRESSWOOD CARCASSES

Mod. Programma Standard / Zone

Waterproof 19 mm panels made of wood-particles and treated with high basic weight, melamine resin.

European Regulation Class E1 compliant.

Finish a: ivory; rear border: melamine; front border: co-extruded plastic matter with dust protection gasket.

Finish b: graphite grey open-pore oak; front and back border: melamine of the same colour.

Shelves (th. 19 mm) and back panels with same finish as carcass.

All carcasses are equipped with a device for controlled closure (BLUMOTION).


Upon request carcasses can be equipped with shelves made of anodised aluminium th. 16 mm

Mod. SQUARE

Finish: antrachite grey; 16 mm presswood panels; 6 mm shelf in tempered glass.



mod. Universal



mod. Universal

CARCASSES AND TOPS IN CORIAN®

Mod. Fiumi

Internal carcass made of 12 mm. white presswood melamine panels, then plated with 6 mm white slats in CORIAN®.

Internal drawers in multiple layers wood.

Tops: structure made of 12 mm wood-particles panels, then plated with 6mm white slats in CORIAN®.

The lower panel can be removed to be examined and is made of 18 mm white presswood melamine panels.



mod. Fiumi



mod. Universal

PLATED WOOD CARCASSES

Mod. Fiumi - Square

15 mm MDF panels, plated with wood sheets, assembled using a 45° folding technique to have the same wood grain on the corner.

The shelves are in tempered glass, th. 6 mm.



mod. Square



mod. Glass

GLASS CARCASSES

Mod. Glass

Tempered glass carcasses with corners 45°-glued with UV glues.

They can be equipped with coloured back panels.

All bracket holes are equipped with metrical bushes of galvanised metal.

HINGES

The hinges are made of 1.2 mm nickel-plated, pressed metal sheets.

They are equipped with spring mechanisms for closing and opening and are adjustable in depth, height, and width.

They allow for a 107° aperture.

The hinge board is made of die-cast alloy.

Mod. Square

Made of die-cast zamak, design Boffi, with spring mechanism and metal hinge board. They are adjustable in depth, height, and width.

Mod. Servitù

In metal for glass doors.

WALL MOUNTING

Mod. Programma Standard / Zone

Made of reinforced polyamide resin. Internal regulating devices are made of galvanised chromium-plated steel.

The fixing device is made of die-cast aluminium.

Mod. Square

Made of aluminium bars with height adjustable wall plugs.

Mod. Fiumi

Equipped with wall-fixed metal clamps, with optional height adjustment.

SHELF BRACKETS

Made of stainless steel. Equipped with a device that ensures a secure and precise fixing of the shelf.

HARDWARE

Made of anti-oxidation treated nickel-plated metal.



95° hinge, built-in Blumotion



mod. Square

TECHNICAL SPECIFICATIONS OF MATERIALS

GLIDES - DRAWERS - SHELVES - MIRRORS

GLIDES FOR DRAWERS AND HEAVY-DUTY DRAWERS

Mod. PROGRAMMA STANDARD / ZONE- SQUARE - FIUMI

They are made of galvanised steel, totally concealed, fixed to the bottom of drawer with an optimal sliding mechanism. Glides run on stabilised carriages.

COMPLEMENTARY ITEMS

Wooden wall units

Made of 16 mm. wood-particle panels, veneered with wood, equipped with open-faced elements, glass shelves, doors in pressed glass, in setasil or in polyester.

Shelves in aluminium

Shelves with side panels and L-shaped in extruded naturally anodised aluminium bars - 2 depths. Fixed width or available by linear meter.

Mod. Walll

Shelf made of aluminium bars, with an adjustable flap door.

Mod. Rotor

Wall fixed container in 4mm anodised aluminium, with 180° horizontally foldable wings.

MIRRORS

mod. Square

Mirrors with aluminium support frame and folding door, with or without lamp. Rectangular version with only aluminium support frame, with or without lower glass shelf.

mod. Cornici

Mirrors - units, with aluminium frame.

mod. Ovale

Produced with rounded mirrors.

ACCESSORIES

Upon request the internal drawers, in the PROGRAMMA STANDARD model, could be in extruded aluminium with the bottom in wood-particle panels treated with an open-pore, graphite grey, oak melamine and concealed glides.

DRAWERS - HEAVY-DUTY DRAWERS - INTERNAL DRAWERS

Mod. PROGRAMMA STANDARD / ZONE e SQUARE

Extruded, coupled aluminium drawers. Equipped with corner release junctions. The bottom, in SQUARE model, is made of 15 mm MDF panels, wood-plated, in the same finish as the carcass; mod.

PROGRAMMA STANDARD / ZONE made of 16 mm. wood-particle panels treated with an open-pore, graphite grey, oak melamine.

Mod. FIUMI - Wood finish.

They are in 15 mm. MDF panels, plated with wood sheets, in the same finish as the carcass. The bottom is made of 15 mm MDF panels, wood-plated, in the same finish as the carcass.

Finish white CORIAN®: side panels and bottom in multiple layers wood.

In Square - Programma Standard / Zone - Fiumi models the drawers are equipped with a controlled closure device (Blumotion).




mod. Square- Universal



mod. Universal



mod. Fiumi



mod. Walll



mod. Cornici



mod. Square




mod. Ovale

TECHNICAL SPECIFICATIONS OF MATERIALS

DOORS AND FRONT PANELS


SETASIL - GOFFERED VARNISH

1. Pre-treated Medium density panel.
 2. Base plaster.
 3. Trim in ABS plastic.
 4. Varnished with polyurethane paints with micro-spheres (Setasil).
- To be used with Programma Standard / Zone.




MAT PLUS - MATT LACQUER

1. Pre-treated Medium density panel.
 2. Base plaster.
 3. Trim in ABS plastic.
 4. "EPOFOND" varnish in colour.
 5. Finished with transparent 'Soft Touch' varnish.
- To be used with Programma Standard / Zone.




WOOD VENEER

1. Made of waterproof wood-particle panels -class 1.
 2. 0,6 mm wood veneer.
 3. 1 mm wood trim.
- Varnished with natural polyurethane base varnishes and finished with transparent polyurethane varnishes.
- Standard essences: bleached oak, dark oak, dark-dyed oak, graphite oak, ebony eco-wood, black eco-wood, bleached pinewood eco-wood, walnut eco-wood.
- To be used with Programma Standard / Zone.




POLYESTER - POLISHED LACQUER

1. Pre-treated Medium Density panels.
 2. Three layers of colour (320g/m² each) on surfaces and edges.
- Smoothed, polished and shined.
- To be used with Programma Standard / Zone.




NATURALLY ANODISED ALUMINIUM

1. Aluminium panel.
 2. Support made of coupled aluminium.
- To be used with Programma Standard / Zone.



SETASIL - GOFFERED VARNISH

1. Pre-treated Medium density panel.
 2. Base plaster.
 3. Trim in ABS plastic.
 4. Varnished with polyurethane paints with micro-spheres (Setasil).
- To be used with SQUARE model.




TECHNICAL SPECIFICATIONS OF MATERIALS

DOORS AND FRONT PANELS

MAT PLUS - MATT LACQUER

1. Pre-treated Medium density panel.
 2. Base plaster.
 3. Trim in ABS plastic.
 4. "EPOFOND" varnish in colour
 5. Finished with transparent 'Soft Touch' varnish.
- To be used with SQUARE model.




WOOD VENEER

1. Pre-treated Medium density panel.
 2. 0,6 mm wood veneer.
 3. 1 mm wood trim.
- Varnished with natural polyurethane base varnishes and finished with transparent polyurethane varnishes.
Standard essences: bleached oak, dark oak.
To be used with SQUARE model.




WOOD VENEER+GLASS

1. Pre-treated Medium density panel.
 2. 0,6 mm wood veneer.
 3. 1 mm wood trim.
- Varnished with natural polyurethane base varnishes and finished with transparent polyurethane varnishes.
Standard essences: bleached oak, dark oak.
4. Coloured glass: white, grey, black, frosted mirror.
To be used with SQUARE model.




WOOD VENEER

1. Pre-treated Medium density panel.
 2. 45° wooden trim
 3. Plated with wood sheets, 1st quality on both surfaces.
- Varnished with natural acrylic base varnishes and finished with opaque acrylic varnishes.
Standard essences: bleached oak, dark-dyed oak, dark oak, graphite grey oak.
To be used with I FIUMI model.




WHITE CORIAN®

1. Surfaces and edges made of 6 mm panels in white Corian®
 2. 12 mm multi-layers wood varnished with opaque varnishes.
- To be used with I FIUMI model.



GLASS

1. Tempered glass.
- To be used with SERVITÙ model.



TECHNICAL SPECIFICATIONS OF MATERIALS

HANDLES

SQUARE (included in the unit price)

Standard positioning


Horizontal

Centred

Material

Handle in naturally anodised aluminium.

To be used only with Square door.



SERVITÙ (included in the unit price)


Standard positioning

Horizontal R

Material

Handle in shaped metal wire (4 mm thick for glass and 6 mm thick for coupled mirror).

To be used only with Servitù model.





ZONE (included in the unit price)

Standard positioning

Recessed in the upper thickness of the door, right or left positioned

Material

Stainless steel handle AISI 304 (mod. Zone Z5)




PROGRAMMA STANDARD (included in the unit price)

Standard positioning

Horizontal centred

Material

Handle bar in extruded, naturally anodised aluminium (mod. TRAVE 00)





PROGRAMMA STANDARD (with additional price)

Standard positioning

Horizontal centred

Material

In finish, recessed in the thickness of the door (mod. UNIVERSAL)





PROGRAMMA STANDARD - ZONE (with additional price)

Standard positioning

Horizontal centred, horizontal left or right, vertical left or right

Material

Stainless steel handle AISI 304, push opening with return spring




PROGRAMMA STANDARD - ZONE (with additional price)

Standard positioning

Horizontal left or right

Material

In finish, recessed in the thickness of the door (mod. X12)



TECHNICAL SPECIFICATIONS OF MATERIALS

SETASIL - GOFFERED VARNISH

003 WHITE	129 MAGNOLIA	106 SAHARA	511 BURGUNDY RED	102 MUSTARD YELLOW	027 BLACK
507 SULPHUR YELLOW	111 POWDER	137 IRON	104 GRAPHITE GREY	505 ULTRAMARINE BLUE	81 ALUMINIUM
112 COFFEE	509 LIGHT GREY	313 CHERRY	132 SLATE BLUE	116 STUCCO WHITE	063 SAND
508 POWDER YELLOW	110 ORANGE	021 BRICK RED			

MAT PLUS - MATT LACQUER

003 WHITE	129 MAGNOLIA	009 CREAM	002 BLUE	010 RED	137 IRON
138 SLATE					

WOOD


041 BLEACHED OAK	071 DARK-DYED OAK	076 GRAPHITE GREY OAK	071 EBONY ECO-WOOD	PINEWOOD ECO-WOOD	BLACK ECO-WOOD
WALNUT ECO-WOOD					

POLYESTER - POLISHED LACQUER



003 WHITE	129 MAGNOLIA	106 SAHARA	004 GREY	002 BLUE	001 ANDALUSIAN RED
027 BLACK	110 ORANGE				

TECHNICAL SPECIFICATIONS OF MATERIALS




ALUMINIUM



GLASS



ZODIAQ® - FOR TOPS AND BACK PANELS



TECHNICAL SPECIFICATIONS OF MATERIALS


WORKTOPS

SOLID WOOD TOPS

Th. 15 mm.

Made of New Block wood consisting of pressed, multiple layers of solid oak (thickness 5/6 mm), layered with lime.

Oak finishes: bleached, dark, dark-dyed or graphite grey. Varnished with acrylic base varnishes and finished with transparent acrylic varnishes.



DEPTH IN MM

LENGTH IN MM
max min

> **mod. PROGRAMMA STANDARD**
350 - 500 - 600
> **mod. SQUARE**
340 - 570

3000 300


TOPS IN CRISTAL PLANT

Thickness 15 mm.

CRISTAL PLANT: Solid surface made of mineral charges, aluminium tri-hydrate and low percentage of polyester resins. Being a stable and compact material.

Finish: Satin white.

Easy to clean with usual detergents.



> **mod. PROGRAMMA STANDARD**
350 - 500 - 600
> **mod. SQUARE**
340 - 570
> **mod. ZONE**
470 - 500 - 630
> **mod. TABLE SYSTEM**
(sp.20)
492 - 592

2900 500

TEMPERED GLASS TOPS

Thickness 15 mm, made of frosted aluminium-varnished glass.



> **mod. PROGRAMMA STANDARD**
350 - 500 - 600
> **mod. SQUARE**
340 - 570

2400 500

MARBLE, STONE AND GRANITE TOPS

Mod. UNIVERSAL - SQUARE

20 mm solid marble, stone and granite tops.

Stone: Bihara

Marble: white Carrara

Granite: black

Waterproof treatment.



> **mod. PROGRAMMA STANDARD**
350 - 500 - 600
> **mod. SQUARE**
340 - 570
> **mod. ZONE**
470 - 500 - 630
> **mod. TABLE SYSTEM**
492 - 592

Marble, granite 500
2.700
Stone
2.400

ZODIAQ®

Thickness 20 mm.

Material made of 93% quartz, polymer and coloured pigments.

Non-porous, extremely resistant to scratches, chips, cracks or dulling. 6 colours available.

Clean with common detergents.



> **mod. PROGRAMMA STANDARD**
350 - 500 - 600
> **mod. SQUARE**
340 - 570
> **mod. ZONE**
470 - 500 - 630
> **mod. TABLE SYSTEM**
492 - 592

3000 600

TECHNICAL SPECIFICATIONS OF MATERIALS


WORKTOPS

TOPS WITH INTEGRATED WASH-BASIN IN CORIAN®

Solid surface made of mineral charges and low percentage of acrylic resin.

Finish: satin white.

Easy to clean with usual detergents.



mod. FOLIO

mod. ZONE - TABLE SYSTEM

DEPTH IN MM

LENGTH IN MM
max min


- > **mod. FOLIO** 3000 500
- > 500
- > **mod. ZONE** 470 - 500 - 630
- > **mod. TABLE SYSTEM** 492 - 592

VENEERED WOOD

Thickness 20 mm. Made of multi-layer double crossed wood slabs and wood edges.

Species: bleached oak, dark-dyed oak, graphite oak, ebony eco-wood, black eco-wood, bleached pinewood eco-wood, walnut eco-wood.

Varnished with acrylic base varnishes and finished with transparent varinishes.




- > **mod. PROGRAMMA STANDARD** 3045 500
- > 350 - 500 - 600
- > **mod. ZONE** 470 - 500 - 630
- > **mod. TABLE SYSTEM** 492 - 592

TOPS IN LAMINAM® CERAMIC

thickness 20 mm. Made of 3mm. slabs in LAMINAM® Ceramic, put on 7 mm glass support, covering a multi-layer wood panel.

Finish: black and snow-white.



- > **mod. TABLE SYSTEM** 2400 1000
- > 492 - 592

COMPATIBILITY CARCASSES / DOORS

10

MOD. PROGRAMMA STANDARD

Carcasses

Anthracite grey melamine
Graphite oak melamine

Doors - front panels

Setasil
Mat Plus
Polyester
Aluminium
Wood: Bleached oak
Dark-dyed oak
Graphite oak
Ebony eco-wood
Black eco-wood
Bleached pinewood eco-wood
Walnut eco-wood

MOD. SQUARE

Carcasses

Anthracite grey melamine treated presswood
Wood: bleached oak
dark oak
Glass shelves.

Doors - front panels

Setasil
Mat plus
Wood: bleached oak
dark oak
Wood+glass: bleached oak+glass
dark oak+glass
Coloured glass: white, grey, black,
red, frosted mirror

MOD. SERVITÙ

Carcasses

Solid tinted ash wood

Doors - front panels

Tempered glass

MOD. ZONE

Carcasses

Anthracite grey melamine
Graphite oak melamine

Doors - front panels

Setasil
Mat Plus
Polyester
Aluminium
Wood: Bleached oak
Dark-dyed oak
Graphite oak
Ebony eco-wood
Black eco-wood
Bleached pinewood eco-wood
Walnut eco-wood
Wall units in mirror finish as well

MOD. I FIUMI

Carcasses

White Corian®
(tops for wash basins included)
Wood: bleached oak
(tops for wash basins included)
Wood: dark oak
(tops for wash basins included)
Wood: dark-dyed oak
(tops for wash basins included)
Wood: graphite oak
(tops for wash basins included)


Doors - front panels

White Corian®
Wood: bleached oak
dark oak
dark-dyed oak
graphite oak

BATHROOM UNITS


11

MOD. PROGRAMMA STANDARD with TRAVE oo handle (with UNIVERSAL - ZONE - X12 handles with price addition)




MOD. SQUARE

(available with or without aluminium legs)



MOD. SERVITÙ


supporting frame in solid wood




MOD. ZONE

(with complanar sliding doors, Z5, x12, Zone handles)


Under-sink base unit for Zone wash basins in white Corian® mod.ZONE h=150, Z5 handle




Under-sink base unit for Zone wash basins in white Corian® mod.ZONE h=150, Z5 handle




Drawer units for under-sink base units



Under-sink base unit for Folio wash basins, top depth 500, Zone and X12 handle



Under-sink base unit for upper and under-mounted wash basins depth 360, Zone and X12 handle



Aluminium shelves for base units




L = 560 for base unit W 1200
L = 710 for base unit W 1500
L = 860 for base unit W 1800
L = 1010 for base unit W 2100
L = 1160 for base unit W 2400

BATHROOM UNITS

MOD. ZONE with complanar sliding doors


Wall units



H = 600
H = 900
H = 1200


Door finish: Mirror
Setasil
Mat Plus
Wood
Polyester
Aluminium

White Corian® wash basins mod. ZONE




Wall-mounted with external brackets. Zone wash basins H=300 can be used mounted between bath tubs and wall-mounted base units


MOD. I FUMI in wood or white Corian®




suspended
wood tall units,
d. 280




MOD. GLASS
Units in tempered glass with
coloured back panel: white,
grey, black, red, mirror.



with lower top
in coloured glass, d. 340




MOD. SQUARE
Wood units: bleached oak,
oak or dark oak



WALL UNITS


Wood units: bleached oak,
graphite grey or dark oak.
Doors: pressed or frosted
glass, setasil, polyester.



ADJUSTABLE PENINSULAS WITH WASH BASIN

MOD. TABLE SYSTEM

(Varnished steel structure covered by finished panels, frontal legs and equipped for wall fixing on its longer side)



Measure from 1000 to 1600 mm, d. **500** mm, for upper-mounted wash basins only
Measure from 1610 to 2000 mm, d. **500** mm, for upper-mounted wash basins only
Measure from 2010 to 2400 mm, d. **500** mm, for upper-mounted wash basins only

Measure from 1000 to 1600 mm, d. **600** mm
Measure from 1610 to 2000 mm, d. **600** mm
Measure from 2010 to 2400 mm, d. **600** mm

Finish:


White Corian®

Wood: Bleached oak,
Dark-dyed oak,
Graphite oak,
Ebony eco-wood,
Black eco-wood,
Bleached pinewood eco-wood,
Walnut eco-wood

Integrated top th.20

Stone, Marble, Granite,
Zodiaq®,
Veneered wood,
White Cristal Plant,
White Corian®,
Laminam® Ceramic


Examples



MIRRORS


MOD. VENEZIANA

Custom size mirror, price per square metre, with bevelled mirror




MOD. STAGE

Mirror with back light, with two lamps




MOD. SQUARE

aluminium frame, with or without lamps




MOD. LATINA

wood frame with halogen lamp




MOD. TOOLS

frame in aluminium profiles,
shelves in aluminium+wood




MOD. WK6

price per square meter,
customised size,
aluminium frame




MOD. CORNICI

aluminium compartment,
mirrored door - glass shelf




MOD. MERCURY

25 mm glass plates




MOD. ART

raw sheet iron frame.
Customised size, min. 1500 - max. 2500




MOD. WEDGE

frame in varnished metal,
back light




MOD. MINIMAL

stainless steel frame




MOD. RL11

aluminium frame with RL11 lamp.



MOD. UNIVERSAL

frame in varnished metal,
light in the mirror




WASH BASINS

DESIGN BY BOFFI

15


200 cl.

Wash-basin for counter top mounting in white Corian®, th. 13 mm, without overflow, equipped with chromium-plated waste-drain and siphon, covering-plate for outlet.




GOBI 1

Little wash-basin for counter top mounting, in Cristal Plant, with overflow, provided with waste-drain and chromium-plated siphon.




SOAP

Monobloc wash-basin in white Ekotek, with chromium-plated waste-drain, siphon and overflow. Drilled hole for tap and wash-basin on the left or on the right to be indicated when ordering.




UNIVERSAL

Under-mounted wash-basin in Cristal Plant, with overflow, provided with chromium-plated waste-drain and siphon.




CATHINO 1

Wash-basin for counter top mounting in white Corian®, th. 13 mm, without overflow, equipped with chromium-plated waste-drain and siphon, covering-plate for outlet.




GOBI 2

Big wash-basin for counter top mounting, in Cristal Plant, with overflow, provided with waste-drain and chromium-plated siphon.




SOAP 2

Monobloc wash-basin for counter top mounting, in white Ekotek, provided with chromium-plated waste-drain, siphon and overflow.




SOAP 2

Suspended monobloc wash-basin, in white Ekotek, provided with chromium-plated waste-drain, siphon and overflow.




XL

Hand-washing basin in Carrara marble or Bihara stone, provided with chromium-plated siphon and "free" flow, wall-brackets in stainless steel.




CATHINO 2

Wash-basin for counter top mounting in white Corian®, th. 13 mm, without overflow, equipped with chromium-plated waste-drain and siphon, covering-plate for outlet.




Supporting structure in brushed stainless steel, for GOBI wash-basin, with single drilled hole for tap. Provided with covering hole plug for wall taps.

W = 230 for wash-basin GOBI2
W = 650 for wash-basin GOBI1




QUAD

Wall-mounted wash-basin, structure in anodised aluminium, basin in Ekotek, with overflow, provided with chromium-plated waste-drain, siphon and overflow.




SQUARE

Wash-basin with 3 sides in white polished ceramic, untreated back-side with overflow, chromium-plated waste-drain and siphon.




CIOTOLA

Wash-basin for counter top mounting in white ceramic, without overflow, equipped with chromium-plated waste-drain and siphon.




FOLIO

Wash-basin for counter top mounting, in Corian®, without overflow, chromium-plated siphon left outlet S right outlet D




BOX

Wall-mounted wash-basin, structure in anodised aluminium, basin in Ekotek, without overflow, provided with chromium-plated waste-drain and siphon.



TONDO INOX

Built-in or under-mounted wash-basin, in polished stainless steel, with chromium-plated waste-drain, overflow, pop-up and siphon.




WASH BASINS


DESIGN BY BOFFI

16

Supporting structure in brushed stainless steel, for wash-basin FOLIO, wall-mounted version.




Under-mounted **wash-basin** in Ecotek, with overflow, provided with chromium-plated waste-drain and siphon. Untreated external sides.




TONDO

Built-in or under-mounted wash-basin, in white polished ceramic, with chromium-plated waste-drain, overflow and siphon.




LATINA

Wash-basin in white polished ceramic, provided with chromium-plated waste-drain, overflow and siphon.




OVALE

Under-mounted wash-basin in white polished ceramic, provided with chromium-plated overflow, waste-drain and siphon.



FLOAT

Wash-basin in white polished ceramic, provided with overflow, waste-drain and siphon - for counter top mounting, wall-mounting or with column
1 punched hole for tap,
2 semi-punched holes.




FLOAT COLUMN

In white polished ceramic




ADDA

Wash-basin in white polished ceramic for counter top mounting, with chromium-plated waste-drain, siphon and overflow.



ADDA

Wash-basin in white Corian® for counter top mounting, with chromium-plated siphon and waste-drain, overflow.




CALOTTA

In white polished ceramic, to be used with Fiumi tops, together with wash basin.

In white Corian, to be used with I Fiumi tops, together with wash basin.


PH

Wash-basin with column in transparent glass, without overflow, provided with chromium-plated waste-drain and siphon.




PHC

Wash-basin with column in white Corian®, without overflow, provided with chromium-plated waste-drain and siphon, covering-plate for outlet.




ADIGE

Wash-basin in solid natural stone (Bihara-Serena), made of 2 pieces, without overflow, provided with siphon, connections and waste-drain. To be used with I Fiumi shelves.



PIAVE


Wash-basin in solid natural stone (Bihara-Serena), without overflow, provided with siphon, connections and waste-drain. To be used with I Fiumi shelves.



RUBICONE

Wash-basin in solid natural stone (Bihara-Serena), without overflow, provided with siphon, connections and waste-drain.


Wash-basin structure in metal covered with MDF panels, wood veneer: bleached oak, dark oak, dark-dyed or graphite grey oak.



BATH TUBS


GOBI

Monobloc bathtub in Cristal Plant, provided with waste-drain, siphon and overflow. Weight without water 220 kg.




MOOD

Monobloc bathtub in white Corian®, assembled on metal structure, with adjustable feet. Provided with waste-drain, stainless steel finish, siphon and overflow. Weight without water 180 kg.




SWIM BATH TUBS


Built-in or under-mounted bathtub, panels and wall fixing charged to the customer, provided with adjustable and supporting feet. Measures W= 1.850 H= 550, D= 900 mm - type A






Built-in or under-mounted bathtub, panels and wall fixing charged to the customer, provided with adjustable and supporting feet. Measures W= 2.050 H= 550, D= 900 mm - type B




Built-in or under-mounted bathtub, panels and wall fixing charged to the customer, provided with adjustable and supporting feet. Measures W= 1.850 H= 550, D= 1.100 mm - type C




Corner bathtub, with supporting frame and covering panels in coupled aluminium sheets finish. Dimensions W= 1.850 H= 550 D= 900 mm, left or right.




Supporting frame in metal tubes for under-mounted walled bathtubs.



Island bathtub, with supporting frame and covering panels in coupled aluminium sheets finish. Measures W= 1.850 H= 550 D= 900 mm.



Island bathtub, with supporting frame and covering panels in coupled aluminium sheets finish. Measures W= 1.850 H= 550 D= 1.100 mm.



SWIM BATH TUBS

Bathtub in fibreglass, white polished gelcoat finish. Available with walled supporting frame or panels charged to the customer. After choosing the bath tub position - peninsula, frontal, corner, niche - it's possible to choose the panels (made of coupled aluminium sheets) in:

1. anodised aluminium /
2. white-black or red varnished /
3. wood veneer: bleached oak, dark oak, dark-dyed oak, graphite grey oak.

Taps mounted on the bath tub: tap with water supply from the waste-drain, floor-mounted or wall-mounted tap.

In island compositions the compartments are equipped with wood and glass shelves or units with 2 drawers in wood.

PO - I FIUMI

Bath-tub in solid natural stone (Bihara-Serena),
W= 1.900 mm.
Provided with plug, waste-drain and overflow.
Weight about 800 Kg.


Bath-tub in solid natural stone (Bihara-Serena),
W= 2.100 mm.
Provided with plug, waste-drain and overflow.
Weight about 900 Kg.

Please verify the slab capacity before installing
the bath-tub.

The weights are:


Bath-tub L=1.900: about 800kg+ 270kg water+user
(about 80kg.)

Bath-tub L=2.100: about 900kg+ 300kg water+user
(about 80kg.)



PO - I FIUMI

Bath-tub in Corian® provided with plug,
waste-drain, overflow and siphon.
Dimensions: 1.260 x 1.910 x h. 550 mm -
Weight about 150 kg.





TERRA

Monobloc bathtub in Cristal Plant,
provided with waste-drain, overflow and siphon.
Deck-mounted supply, tap on side.

Measures: 1700 x 1510 x H. 500 mm.
Weight without water 210 Kg, Water capacity 400 Lt.

Without tap arrangement
With tap arrangement on side A
With tap arrangement on side B


Bathtub tap made up of mixer,
hand shower controlled by the mixer.



TEVERE

Bathtub in Corian,
provided with drain plug, waste-drain,
overflow and siphon.

Measures: Ø 1900 mm, H. 550 mm,
Weight without water 300 Kg, Water capacity 600 Lt.




GALASSIA


SANITARY FIXTURES

SA02 SERIES IN WHITE POLISHED CERAMIC


Floor-mounted bidet, with 1 cut-out (weight 27.5 kg)




Suspended toilet bowl (weight 22.7 kg)



Floor-mounted toilet bowl, floor or wall outlet (weight kg. 27,1)




Suspended bidet, with 1 cut-out (weight 18 kg)



Mono-block standard toilet bowl, floor or wall outlet (kg. 34)
Ceramic box for toilet bowl, equipped with double-flow outlet battery


Cover for toilet bowl in thermosetting, hinge with soft closure device.

Fixing brackets




XES SERIES IN WHITE POLISHED CERAMIC


Floor-mounted bidet, with 1 cut-out (weight 23 kg)




Suspended toilet bowl, with 1 cut-out (weight 17 kg)



Suspended bidet (weight 22 kg)




Floor-mounted toilet bowl, floor or wall outlet (weight kg 26)



Mono-block standard toilet bowl, floor or wall outlet (kg 34)
Ceramic box for toilet bowl, equipped with double-flow outlet battery

Cover for toilet bowl in thermosetting, hinge with soft closure device.

Fixing brackets.




SHOWER TRAYS


DESIGN BY BOFFI

20


Shower tray, 835 x 835 mm,
with duckboard in Bihara
or Serena stone.
Shower tray, 835 x 835 mm,
with duckboard in teak wood.




Shower tray, 1.150 x 835 mm,
with duckboard in Bihara
or Serena stone.
Shower tray, 1.150 x 835 mm,
with duckboard in teak wood.



Shower tray, 1.465 x 835 mm,
with duckboard in Bihara
or Serena stone.
Shower tray, 1.465 x 835 mm,
with duckboard in teak wood.




Shower tray with trim in Bihara
stone, 835 x 835 x h. 100 mm,
with duckboard in Bihara
or Serena stone.




Shower tray with trim in Bihara
stone, 835 x 835 x h. 100 mm,
with duckboard in teak wood.

Shower tray with trim in Bihara
stone, 1.150 x 835 x h. 100 mm,
with duckboard in Bihara
or Serena stone.



Shower tray with trim in Bihara
stone, 1.150 x 835 x h. 100 mm,
with duckboard in teak wood.


Shower tray with trim
in Bihara stone,
1.465 x 835 x h. 100 mm,
with duckboard in Bihara
or Serena stone.




Shower tray with trim
in Bihara stone,
1.465 x 835 x h. 100 mm,
with duckboard in teak wood.

GALASSIA SHOWER TRAYS - SAO2 series in white enamelled ceramic

Shower tray
W=1.400 H=100 D=800 mm,
with duckboard on the left
or on the right + duckboard
in teak




Shower tray
W=1.000 H=100 D=800 mm
+ duckboard in teak



SHOWER BOX

MOD. Do8 + Dog



Dog: Shower box in 8 mm. transparent glass, tempered and dirt repellent, with 45° glued angles and sliding door

Do8: Shower tray in varnished nylon, glazed white finish, siphoned waste-drain 32 l/min, H. 110, L. 1400, D. 850 mm

Do8 + Dog: Peninsula shower box, door opening on the right side
Shower tray 1400/1780 x 850 x H. 110 mm,
Removable central duckboard, included siphoned waste-drain

H 2110 mm
H 2410 mm

Do8 + Dog: Peninsula shower box, door opening on the left side
Shower tray 1400/1780 x 850 x H. 110 mm,
Removable central duckboard, included siphoned waste-drain

H 2110 mm
H 2410 mm

Do8 + Dog: Corner shower box, door opening on the right side
Shower tray 1380/1760 x 850 x H. 110 mm,
Removable central duckboard, included siphoned waste-drain

H 2110 mm
H 2410 mm

Do8 + Dog: Corner shower box, door opening on the left side
Shower tray 1380/1760 x 850 x H. 110 mm,
Removable central duckboard, included siphoned waste-drain







H 2110 mm
H 2410 mm

Do8 + Dog: Niche shower box, door opening on the right side
Shower tray 1360/1740 x 850 x H. 110 mm,
Removable central duckboard, included siphoned waste-drain

H 2110 mm
H 2410 mm


Do8 + Dog: Niche shower box, door opening on the left side
Shower tray 1360/1740 x 850 x H. 110 mm,
Removable central duckboard, included siphoned waste-drain

H 2110 mm
H 2410 mm




MOD. MINI OZEN

Mini Ozen lamp- 12 V, 20 W – mod. G9
voltage 220+230V- 50 HZ/110V-60HZ
Finish: chrome-satinised, white varnished




MOD. OZEN

Ozen lamp - 60 W max. - mod. R7s (78 mm) -
voltage 220+230V - 50Hz/110V-60HZ
Finish: chrome-satinised, white varnished




MOD. TOAST

Metal lamp + frosted glass on both surfaces,
100W - R7s - voltage 220+230V - 50Hz/110V-60HZ
Finish: chrome-satinised



MOD. ZERO

Lamp in MDF varnished in white M+
voltage 220V - 50Hz/110V-60HZ
with push-switching on the floor




MOD. LUMI

structure in aluminium and white screen

50 x 58 mm **wall lamp** W = 327 mm - 2 lamps T5 x 8W - voltage 220+230V - 50 Hz/110V-60 HZ
50 x 58 mm **wall lamp** W = 555 mm - 2 lamps T5 x 13W - voltage 220+230V - 50 Hz/110V-60 HZ
50 x 58 mm **wall lamp** W = 888 mm - 2 lamps T5 x 21W - voltage 220+230V - 50 Hz/110V-60 HZ
50 x 58 mm **wall lamp** W = 1487 mm - 1 lamp T5 x 80W - voltage 220+230V - 50 Hz/110V-60 HZ


50 x 58 mm **suspended lamp** W = 555 mm. - 2 lamps T5 x 13W - voltage 220+230V - 50 Hz/110V-60 HZ
50 x 58 mm **suspended lamp** W = 888 mm. - 2 lamps T5 x 21W - voltage 220+230V - 50 Hz/110V-60 HZ
50 x 58 mm **suspended lamp** W = 1487 mm. - 1 lamp T5 x 80W - voltage 220+230V - 50 Hz/110V-60 HZ



MOD. P7

In metal, double protection


P7 - wall lamp, Ø 70mm, h. 250mm, 2 halogen lamps
Par 20 E27 X 50W voltage 220+230V - 50Hz/110V-60HZ
Finish: white varnished – chromium-plated



MOD. P10


In metal, double protection

P10 - wall lamp, Ø100mm, h.250mm, 2 halogen lamps
Par 30S E27 X 75W voltage 220+230V - 50Hz/110V-60HZ
Finish: white varnished – chromium-plated



MOD. LATINA


Halogen lamp with chromium support
150 W - 275/117 mm - voltage 220+230 V
50 Hz / 110 V - 60 HZ



SCALE / AIR CEILING FAN / SHOWER

23

Electric scale coated by Corian®,
selection in Kg and lb
max cap.150 Kg - 440 lb -
Nr. 1 battery issued




MOD. AIR MINIMAL

Ceiling fan with wood vane, Ø1600 mm, "Vortice" engine,
with infra-red radio controller, 5 speeds. 220-240 V -
50 Hz/110V-60HZ. AISI 304 stainless steel finish.

Ceiling fan with wood vane, Ø1600 mm, "Vortice" engine, without infra-red radio controller,
It can start up with linear speed regulators with different positions, by client.
220-240 V - 50 Hz/110V-60HZ. AISI 304 stainless steel finish.

H = 400 mm
H = 730 mm
H = 1200 mm





MOD. AQUALUCE

Ø 300 mm.shower plate, diffuser in satinised plexiglass with silicone nozzles, with backlight,
Colour regulation control to be installed on the wall by client

with 3 Led RGB , 5 x 1 W- built-in version
with 3 Led RGB , 5 x 1 W- ceiling version
with 3 white Led, 7 X 3 W- built-in version
with 3 white Led, 7 X 3 W- ceiling version


Voltage: 220V 50HZ/110V-60HZ




TAPS

MINIMAL in stainless steel AISI 304 satinised finish


Mixer for wash-basins and bidets
long spout
short spout
extendable spout




Top-mounted mixer for wash-basin,
with hose, 3/8" connection.




3 drilled holes for
wash-basins and bidets,
long spout
short spout




Built-in mixer for wash-basin
and shower, Ø 100 mm washer.




Water connection,
1/2" wall connection.




Wall-fixed tap for built-in wash-
basins, with ceramic screw-disks,
1/2" side connection for hot/cold
water.
Plate measures:
W=230 mm, H=120 mm.
long spout L=250 mm
short spout L=200 mm




Single spout for wash-basins,
Ø 20 mm, with 500 mm
long hose, 3/8-1/2"
long spout
short spout
extendable spout




Built-in group tap with
ceramic screw-disks 90°,
hot-cold, for wash-basin
and for shower.




Wall-mounted spout
for wash-basin,
1/2" connection, Ø 20 mm
long spout, L=250 mm
short spout, L=210 mm




Wall-mounted spout for bath-tub,
1/2" connection, Ø 25 mm
with long spout L=300 mm
with short spout L=200 mm




Shower plate, Ø 220 mm,
1/2" connection with silicone
anti-limestone membrane.
Shower plate, Ø 300 mm,
1/2" connection, articulated,
to be used in ceiling-mounted
version.




Floor shower spout,
1/2" connection;
Ø 25 mm.




Single tap for washbasin,
hose L = 500, 1/2" connection,
control with milled metal ring
on the spout.




Single spout for deck-mounted
hand-shower +mixer,
1/2" connection, Ø 25 mm.



1/2" wall-connection
for shower plate.




Wall-mounted spray hand-
shower with silicone anti-
limestone membrane,
hose L = 1500 mm,
wall connection.
Spray hand-shower for deck-
mounted group with silicone
anti-limestone membrane,
hose L = 1500 mm,
1/2" wall connection.




MINIMAL in stainless steel AISI 304 satinised or polished finish


Thermostatic built-in group, wall plate measures W=130 mm, H=160 mm without diverter. Diverter kit.




Fixed floor-spout for wash-basin, 1/2" connection.




Shower arm, 1/2" connection, Ø 25 mm, L. 300 mm




Toilet shower with shower hose in stainless steel L = 1.000, 1/2" connection.




Shower/bathtub built-in group, wall plate measures W. 130 mm, H. 160 mm, without diverter.




Floor-spout for bathtub, 1/2" floor-connection, Ø 25 mm.




Ceiling-connection for shower plate, 1/2" connection, H= 295 mm.




5-ways built-in diverter, 1/2" connection.




Deck-mounted, positioned on plate, spout, mechanical mixer, hand-shower and diverter.




Deck-mounted, positioned on plate, group composed with: 3/4" screw disks, cold/hot water, large/great water supply, spout and hand-shower controlled by the mixer.




Deck-mounted, positioned on plate, group, water supply to overflow, composed with: 3/4" screw disks, cold/hot water, large/great water supply, hand-shower controlled by the mixer.




Floor-mounted unit for bath-tub provided with mixer, diverter, hand-shower, spout L = 270 mm, 1/2" connections.




Floor-mounted unit for island bathtub, in stainless steel, provided with mixer, diverter, hand-shower, spout L = 200/300 mm.



Ø 20 mm towel warmer, L = 4.000 mm, modellable at will, with 4 wall connections, can be connected to the wall through a Ø 12/14 mm copper hose.



Shut-off valve, ceramic screw-disk, 1/2" connection.




TAPS


DISCO - KWC

In stainless steel AISI 304 or chromium-plated brass.
Invariable water capacity and adjustable temperature.


Built-in and wall-mounted tap system for wash-basin, L= 230 mm.




Built-in and wall-mounted tap system for wash-basin, L= 150 mm.




Mixer for washbasin-top, without pop-up, H= 350 mm.
Mixer for washbasin-top, without pop-up, H= 375 mm.




Mixer for bidet, without pop-up, H=205 mm.




Kit external plate and lever.
Diverter.




Wall-mounted spout for bath tub, 1/2" connection, L= 200 mm.




2-movement-mixer for bathtub with diverter, support and hand-shower.




2-movement-mixer, for shower with hand-shower to be used with latch-rod.




Hand-shower with shower-hose L=1500 and 1/2" connection.
Wall-mounted support for hand-shower.



Latch-rod L = 1.100 mm



Built-in mixer for shower/bath-tub (only built-in part), **with progressive ceramic cartridge.**




Built-in mixer for shower/bath-tub (only built-in part), **with standard cartridge.**

TAPS


27

CUT - In stainless steel AISI 316, satinised or polished finish.
Invariable water capacity and adjustable temperature.


Built-in tap system for wash-basins, with spout L= 250 mm, vertically or horizontally assembled.




Built-in tap system for wash-basins, with spout L= 150 mm, vertically or horizontally assembled.




Built-in tap system for bidet, with spout L= 220 mm, vertically or horizontally assembled.




Built-in tap system for bidet, with spout L= 150 mm, vertically or horizontally assembled.




Deck-mounted spout + mixer + hand-shower + diverter for bath tub.




Built-in spout + mixer + hand-shower + diverter for bath tub.




Floor-mounted unit for bath-tub, provided with mixer, diverter, hand-shower, spout L= 250 mm




Built-in shower tap and hand-shower, with diverter, vertically assembled H= 1.600 mm.



Shut-off valve for cold and hot water, with anti-water-reflux filters and valves.



Built-in shower tap, vertically assembled H= 800 mm.



ACCESSORIES

Built-in soap dispenser, to be used on Galassia bidet or tops in satinised or chromium-plated stainless steel.





Plate with control for toilet box GEBERIT ITALIA, W= 245 mm, H= 155 mm
 Finishes: satinised or chromium-plated stainless steel.




TAPS

LIQUID in chromium-plated brass


Mixer for wash-basins,
long spout, without pop-up.
Mixer for wash-basins,
short spout, without pop-up.




Mixer for bidet, without pop-up.




3 drilled holes for top wash-basins,
long spout, without pop-up.
3 drilled holes for top wash-basins,
short spout, without pop-up.
1/2" ceramic screw-disk 90°.




3 drilled holes for bidet,
without pop-up.
1/2" ceramic screw-disk 90°.



2 wall-mounted and built-in taps,
hot and cold water, for wash-basin
and shower.




Fixed floor-spout for wash-basin,
1/2" connection.



Mixer for wash-basin,
for counter top mounting,
with hose, 3/8" connection.




Spout for wash-basin,
for counter top mounting,
Ø 26 mm, 3/8" connection.




Built-in mixer for bathtub and shower,
1/2" connections.



Built-in mixer for bathtub and shower,
with diverter, 1/2" connections.




Spout for bathtub
and wash-basin,
Ø 26 mm, 1/2" connection,
L= 150 mm.




Spout for bathtub
and wash-basin,
Ø 26 mm, 1/2" connection,
L= 220 mm.

Built-in mixer for wash-basin.




Wall-mounted spray
hand-shower with silicone
anti-limestone membrane
and hose L= 1.500 mm,
1/2" connection - (A)
Deck-mounted spray
hand-shower with silicone
anti-limestone membrane
and hose L= 1.500 mm,
1/2" connection - (B)




Built-in thermostatic mixer,
for bath-tub and shower.



Ø 200 mm shower plate,
with silicone anti-limestone
membrane and 1/2" connection.



Wall-mounted and built-in tap
for bathtub composed with:
mixer, spout, hand-shower,
diverter (progressive cartridge).




TAPS

LIQUID in chromium-plated brass

29


Tap for bathtub composed with: mixer, spout, hand-shower, diverter (progressive cartridge).




3-way built-in diverter.



Deck-mounted group, water supply to overflow, composed with: 3/4" screw disks, cold/hot water, large/great water supply, hand-shower controlled by the mixer.




Deck-mounted group composed with: 3/4" screw disks, cold/hot water, large/great water supply, spout and hand-shower controlled by the mixer.




TAPS

PIPE SHOWERS in stainless steel AISI 304 - Satinised finish


Fixed wall-mounted shower, provided with support member. 1/2" wall-connection.



Fixed floor-shower, provided with flange and shower-foundations. 1/2" floor connection.




Fixed floor-shower, with progressive ceramic cartridge mixer red handle, provided with flange and shower-foundations. 1/2" floor connection for hot and cold water.



In the Boffi price list you can find the following accessories:

- **Minimal** series in AISI 304 stainless steel, satinised finish: 26 typologies
- **RL 11** series in white enamelled ceramic: 14 typologies
- **Deepwhite** series in white enamelled ceramic: 12 typologies
- **Blade** series in AISI 304 stainless steel, satinised or polished finish: 47 typologies

EXAMPLE OF CODE LIST COMPILATION



MODEL	Square
FINISH	Wood
COLOUR	Bleached oak
GLASS COLOUR	
CARCASS	Bleached oak
HANDLE	Square
FEET	H= 300
TOP	New block bleached oak th. 15 mm
ACCESSORIES	Minimal

CODE LIST

FURNISHINGS

10.	base unit with 2 drawers W= 400
20.	base unit with 2 drawers W= 400
30.	under-washbasin base unit W= 800
40.	aluminium leg 30 x 30 H= 300 for end use (n°2)
50.	aluminium leg 30 x 30 H= 300 for central use customised solution for leg fixing (n°3)
60.	foldable mirror with light H= 400 W= 400
70.	wooden open-faced wall unit W= 800 H= 200

TOPS AND WASHBASINS

80.	top in New Block bleached oak, th. 15 W= 1.604
90.	cut-out for Adda wash-basin
100.	Adda wash-basin, design Boffi wall-mounted built-in tap for washbasin - long spout - mod. Minimal

MINIMAL ACCESSORIES

Wall-mounted soap-dish in stainless steel
Tooth-brush holder for counter top mounting in stainless steel
Brush holder in stainless steel
Paper holder
Towel rail L = 450
Towel rail L = 300